



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

WATER FILTERS SPECIFICATION SHEET

<p>Item Descriptions</p> <p>Dimension</p> <p>Model</p> <p>Finish</p> <p>Origin</p> <p>Manufacturer</p> <p>Source</p> <p>Contact Tel/Fax</p> <p>E-mail</p> <p>Website</p>	<p>ATLAS (P.R.C.) 10" Plastic Water Filter (1" NPT with Brass) with PP10 Micro Fabric Filter</p> <p>315 x Φ87.25 mm</p> <p>BM-008</p> <p>Plastic</p> <p>P.R.C.</p> <p>ATLAS (P.R.C.)</p> <p>Ka Shing Enterprises (H.K) Limited Mr. Ivan Lau / Mr. GilmanYuen</p> <p>(852) 2628-0661 / (852) 2490-2700 project@kashingehk.com www.kashingehk.com</p>	<p style="text-align: center;">Illustration/ Drawing</p>
<p>Features:</p> <ul style="list-style-type: none"> - Fits All 10" x 2.5" Standard Replacement Filter Cartridges - Pressure Relief Button on Cap for Easy Cartridge Changes - 3/4" NPT Inlet and Outlet Port and Reinforced Polypropylene Standard Bracket-Mounted Cap - With a Plastic Wall Mounting for Installation <p>Application:</p> <p>For Home, Apartment, Office, Building, Hotel, School, Hospital and Vending Machine.</p> <p>Filter:</p> <ul style="list-style-type: none"> - Max Temp: 100 °F (40 °C) - Hot & Cool Water - Absoluted Filtration - Tapered Pore Structure - High Efficiency Capture of a Wide Range of Particle Sizes - Long Life Depth Filtration Media - Rigid and Integral Construction Withstands Even The Most Stressful Conditions - Medium Rating 1 Micron - Tested and Certified by NSF International Against NSF/ANSI Standard 42 for Material Requirements Only. 		

Note:

* All information of the above is for reference only. No prior notice is made if any changes.