



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## STAINLESS STEEL 4 BAR HINGE SERIES SPECIFICATION SHEET

Item Descriptions	C.H. (P.R.C.) 304# 10 inch Stainless Steel 4 Bar Hinge (Awning Windows use)	Illustration/ Drawing														
Dimension	256 x 20 x 16.7 mm															
Model	EB-26A															
Finish	Stainless Steel															
Origin	P.R.C.															
Manufacturer	C.H. (P.R.C.)															
Source	Ka Shing Enterprises (H.K) Limited Mr. Ivan Lau / Mr. GilmanYuen															
Contact Tel/Fax	(852) 2628-0661 / (852) 2490-2700															
E-mail	project@kashingehk.com															
Website	www.kashingehk.com															
<b>Feature:</b>																
<ul style="list-style-type: none"> <li>- Quality complies with British BS6375 and Hong Kong Housing Department standards</li> <li>- Comply with GB/T388 &lt;Stainless steel friction stays for aluminium windows&gt; standard</li> <li>- After 50,000 open and close tests, the function remains good</li> <li>- Adjustable angle, just adjust the positioning slider to the required angle</li> </ul>																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5">Undertaken weight and open angle</th> </tr> <tr> <th>Type</th> <th>Max. width (mm)</th> <th>Max. height (mm)</th> <th>Max. weight (kg)</th> <th>Max. open angle</th> </tr> </thead> <tbody> <tr> <td>EB-26A</td> <td style="text-align: center;">1200</td> <td style="text-align: center;">450</td> <td style="text-align: center;">9.7</td> <td style="text-align: center;">45°</td> </tr> </tbody> </table>		Undertaken weight and open angle					Type	Max. width (mm)	Max. height (mm)	Max. weight (kg)	Max. open angle	EB-26A	1200	450	9.7	45°
Undertaken weight and open angle																
Type	Max. width (mm)	Max. height (mm)	Max. weight (kg)	Max. open angle												
EB-26A	1200	450	9.7	45°												

Note:

\* All information of the above is for reference only. No prior notice is made if any changes.

# Drawing

Installation Dimension (mm)

Type	A	B	C	D	E	F	G
EB-26A	39.2	123	168	31.9	172	243	256

