




PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	




## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	FLUIDMASTER (USA) " 400UK " 1/2" bottom entry extractable and quiet float valve	Illustration/ Drawing  
Dimensions	Height: 230~355 mm	
Model	400UK073	
Manufacturer	Fluidmaster Inc	
Source	Ka Shing Enterprises (H.K) Limited Mr. Ivan Lau / Mr. GilmanYuen	
Contact Tel/Fax E-mail Website	(852) 2628-0661 / (852) 2490-2700 project@kashingehk.com www.kashingehk.com	

### 400UK Bottom Entry Fill Valve

The fill valve fills the toilet tank with water from the water supply line after it has been emptied by a flush. It replaces the ballcock and is more efficient and easy to install. This is an anti-siphon design-fill valve with adjustable height from 9" to 14". The most popular valve in the world. Replace your old style ballcock valve with a better performing Fluidmaster fill valve.

- Replaces ballcocks
- Easy to install
- Height adjusts 9"-14" (230mm - 355mm)
- Refills quickly; quietest fill valve available
- Universal fit for 1 and 2 piece toilets
- Corrosion-resistant material
- Anti-siphon operation, code approved
- Won't contaminate fresh water supply



Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.



水務署  
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (2) in WSD 3321/2021 T/J(849/2021)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

19 July 2021

**Approval of "FLUIDMASTER" Float Operated Valve  
(General Acceptance No. C20210775F)**

Your letter ref. D73A/2021/0496 dated 28 May 2021 refers.

Having considered the test report ref. J26089 issued on 31 March 2021 by Nutek Systems (HK) Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** Fluidmaster Water Technology  
**Country of Origin:** Mexico  
**Brand:** Fluidmaster  
**Details of Fitting:** 1/2" Plastic float operated valve  
**Model:** 400UK073  
**Body Markings:** **Fluidmaster®**  
**Expiry Date:** 6 February 2026



**Proviso:** As the fitting has not been tested for use in contact with water intended for human consumption, the fitting can only be used in flushing water plumbing system.

This Authority hereby permits the use of the above fitting in flushing water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The flushing volume of the flushing valve should be adjusted to suit the design of the toilet bowl so that wastes can be cleared effectively by a single flush."

"The fitting should be used within the range of working pressures specified by the manufacturer." AND

"The installed fitting should not result in backflow of water that will contaminate the flushing water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in flushing water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(Roger WONG)  
for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82   ] - without catalogue  
            ME/MC           ] - with soft copy only