# Ka Shing Enterprise (H.K.) Ltd.





PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Kita (PRC) Chrome plated single lever basin & shower mixer with 1500mm flexible pipe & hand shower and press action waste; Nominal flow rate 3 L/min & 8.2 L/min in WELS Grade 1; Registration No. TM 20-0245 & SB 19-0007	Illustration/ Drawing
Model  Material / Finish	A-021 ( Mixer ) NX-110BA (Waste) B-001 (Shower holder ) BL-31 ( 1.5m flexible hose ) 8573C (Hand shower ) Chrome Plated	
Manufacturer	Kita (PRC)	
Source	Ka Shing Enterprises (H.K) Limted Mr. Ivan Lau / Mr. GilmanYuen	
Contact Tel/Fax	(852) 2628-0661 / (852) 2490-2700	e63
E-mail	project@kashingehk.com	24
Website	www.kashingehk.com	
6 — 5 — 4 — 3 — 2 — 1 — 0	50 150 250 350 500 600 Dynamic Flow Pressure (kPs) .35 2.5 3.1 3.5 4.2 5	G.1/2"  G.1/2"  G.1/2"  G.1/2"  G.1/2"  G.1/2"
	Reading 1st (L/Min)	

Note:

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.



ROOM 1706 NEW TERRITORIES TSUEN WAN HO LIK CENTRE, 66A SHA TSUI ROA Tel:26280661 Fax: 24902700 Email: project@kashingehk.com Website: www.kashingehk.com



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

## SANITARY WARE SPECIFICATION SHEET

Item Descriptions	he W	ad; non	ninated	flow rate	nd spray e <b>8.2 l/m</b> tion No.		Illustration/ Drawing
Model	85	73C					R N Grade 1
Finish	Cł	nrome P	lated				
Manufacturer	Ki	ta					N N
Source		a Shing I r. Ivan I	_	-	ζ) Limte nYuen	ed	
Contact Tel/Fax							
E-mail Website		oject@k ww.kash					
14.00 -							10 cm
12.00							<del></del>
10.00							ph (Common Common Commo
8.00							
6.00							
4.00 -							23 cm
2.00							1 (1)
0.00							
0.00	50	150 Dyna	250 amic Flow	350 Pressure	500 (kPs)	600	
Flow rate (L/Min)	3.75	6.50	8.30	9.86	11.00	11.68	

Note:

<sup>\*</sup> All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

SB 19-0007



自願參與用水效益標籤計劃 - 沐浴花灑 Voluntary Water Efficiency Labelling Scheme - Showers for Bathing

Certificate Registration

茲證明 This is to certify that

將下列花灑在本計劃內註冊: has registered the following shower under this scheme:

脾 子 / Brand

KITA

型 號 / Model

8573C

.... 204

原產地

/ Country or Region Origin

China

在用水效益標籤上展示的標誌

Symbolic Presentation on the Water Efficiency Label

· 滴水點 Water droplet(s)

用水效益級別 ,

Water Efficiency Grade

: 1

耗水量

Water Consumption

: 8.2 公升/分鐘 litres/minute

簽發日期: Date of Issue:

22 March 2019





水務署署長(張業駒代行) for Director of Water Supplies



### 自願參與用水效益標籤計劃 - 水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps

Certificate Registration

茲證明 This is to certify that

Ka Shing Enterprises (H.K.) Limited

#### 將下列水龍頭在本計劃內註冊:

has registered the following water tap under this scheme:

 牌子 / Brand
 : Kita + Schleich

 型號 / Model
 : A-021 + S-FR 4L

種 類 / Type : Mixing

原產地 / Country or Region Origin : China (Mixer & Flow Controller)

在用水效益標籤上展示的標誌
Symbolic Presentation on the Water Efficiency Label : Water droplet(s)

用水效益級別 : 1 Water Efficiency Grade

耗水量 : 3.0 公升/分鐘 Water Consumption : 1.0

簽發日期: Date of Issue: 27 November 2020





水務署署長(張業駒代行) for Director of Water Supplies



#### 水務署 Water Supplies Department

總部 Headquarters 香港灣仔告土打道七號人境事務大樓 48 樓 48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號 Your ref.

(4) in WSD 3321/2020 T/J(945/2020)

電話 Tel.

傳真 Fax.

: 2824 0578

15 September 2020

Ka Shing Enterprises (HK) Ltd Unit A, 3/F., 30-38 Tsuen King Circuit, Waylee Ind. Centre, Tsuen Wan, N.T., Hong Kong

(Attn.: Mr Ivan LAU)

Dear Sir,



#### Approval of "KITA" Basin/Shower Mixer (General Acceptance No. C20200806)

Your letter dated 22 July 2020 and subsequent submission received by this department on 17 August 2020 refer.

Having considered the test report ref. J25309A issued on 22 July 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

廣東省鶴山市址山東溪開發區江毅水暖廠

Country of Origin:

the Mainland of China

Brand:

Kita

**Details of Fitting:** 

1/2" Single lever basin and shower mixer

Model:

A-021

**Body Markings:** 

Kita

**Expiry Date:** 

2 July 2025





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

"The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue

ME/MC ] - with soft copy only



### 水務署 Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號 Your ref.

(4) in WSD 3321/2021 T/J(48/2021)

電話

Tel.

傳真 Fax

: 2824 0578

8 March 2021



# Approval of "KITA" Flexible Hose (General Acceptance No. B20210009)

Your letters dated 11 December 2020 and 25 January 2021 refer.

It is noted that the fitting described below has been accepted by the United Kingdom Water Regulations Advisory Scheme (WRAS) to have complied with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations / Scottish Water Byelaws when correctly installed. This Authority accepts that the fitting described below based on the WRAS certificate complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: Ka Shing Enterprises (HK) Ltd

Country of Origin: the Mainland of China

Brand: Kita

Details of Fitting: Range of stainless steel braided PEX lined flexible hose

assemblies with brass end connections and EPDM o ring and washers with various end connections options. Maximum working pressure 10.0 bar. Maximum

operating temperature 85°C.





Model:

PEX-KITA

Size:

Bore diameters: DN6 & DN8

End connections:

M10, M12, M15, F3/8", F1/2", F3/4", F15, 3/8" BSP (M),

1/2" BSP (M), 3/4" BSP (M)

**Body Markings:** 

PEX-KITA, WRAS & Year of Manufacture YYYY on

crimped connection

WRAS Approval Number: 1909395

Installation Requirements: R001, R008

**Expiry Date:** 

30 September 2024

In view of the acceptance by WRAS, this Authority has no objection to the use of the said fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following installation requirements –

"Installation shall comply with the 'Installation Requirements & Notes' of the WRAS's approval letter concerned." AND

"The inlet flexible hose is applied for the water tap or mixer connection only and installed in the fresh water plumbing systems."

A condition of this acceptance is that the fitting to be installed should be replicas of the sample certified by WRAS and no modification should be made to the fitting. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

(Roger WONG)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue ME/MC ] - with soft copy only