






PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

## SANITARY WARE SPECIFICATION SHEET

<p>Item Descriptions</p> <p>Model</p> <p>Finish</p> <p>Manufacturer</p> <p>Source</p> <p>Contact Tel/Fax</p> <p>E-mail</p> <p>Website</p>	<p>KITA (PRC) Brass chrome plated self closing tap; Nominal <b>flow rate 4 L/Min</b> in <b>WELS Grade 2</b> ;Registration No. <b>TN 19-0099</b>;complied with BSEN816: 1997, BSEN1982:2008 &amp; BSEN10088-3:2014; <b>test report RKSH009r1</b></p> <p>CN-67</p> <p>Chrome Plated</p> <p>Kita</p> <p>Ka Shing Enterprises (H.K) Limited Mr. Ivan Lau / Mr. GilmanYuen</p> <p>(852) 2628-0661 / (852) 2490-2700 project@kashingehk.com www.kashingehk.com</p>	<p>Illustration/ Drawing</p>  														
 <table border="1"> <thead> <tr> <th>Dynamic Flow Pressure (kPa)</th> <th>Reading 1st (L/Min)</th> </tr> </thead> <tbody> <tr><td>50</td><td>1.7</td></tr> <tr><td>150</td><td>3.05</td></tr> <tr><td>250</td><td>4.23</td></tr> <tr><td>350</td><td>4.8</td></tr> <tr><td>500</td><td>5.63</td></tr> <tr><td>600</td><td>5.85</td></tr> </tbody> </table> <p>*1 bar = 100 kPa*</p>		Dynamic Flow Pressure (kPa)	Reading 1st (L/Min)	50	1.7	150	3.05	250	4.23	350	4.8	500	5.63	600	5.85	
Dynamic Flow Pressure (kPa)	Reading 1st (L/Min)															
50	1.7															
150	3.05															
250	4.23															
350	4.8															
500	5.63															
600	5.85															

Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TN 19-0099



自願參與用水效益標籤計劃 - 水龍頭  
Voluntary Water Efficiency Labelling Scheme - Water Taps

Certificate of Registration 註冊證書




茲證明

This is to certify that

Ka Shing Enterprises (H.K) Ltd.

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

- 牌子 / Brand : KITA
- 型號 / Model : CN67
- 種類 / Type : Non-mixing
- 原產地 / Country or Region Origin : China

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	: 	滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	: 2	with additional merit*
耗水量 <i>Water Consumption</i>	: 4	公升/分鐘 <i>litres/minute</i>

\*with additional merit of "Automatic closing mechanism"

簽發日期：  
Date of Issue: 31 July 2019

 水務署  
Water Supplies Department



水務署署長(張業駒代行)  
for Director of Water Supplies



水務署  
Water Supplies Department

總部 Headquarters  
香港灣仔告士打道七號入境事務大樓 48 樓  
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (6) in WSD 3321/2022 T/J(151/2022)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

26 April 2022

Ka Shing Enterprises (HK) Ltd  
Unit A, 3/F., 30-38 Tsuen King Circuit,  
Waylee Ind. Centre, Tsuen Wan,  
N.T., Hong Kong

(Attn.: Mr Ivan LAU)



Dear Sir,

**Approval of "KITA" Self Closing Tap  
(General Acceptance No. C20220312)**

Your letters dated 26 January 2022, 5 March 2022 and 29 March 2022 refer.

Having considered the test report ref. RKSH009r1 issued on 28 March 2022 by Ideal Test Consultants Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** 南安市興利來水暖器材有限公司  
**Country of Origin:** the Mainland of China  
**Brand:** Kita  
**Details of Fitting:** 1/2" Self closing basin tap  
**Model:** CN-67  
**Body Markings:** KITA  
**Expiry Date:** 23 January 2027



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements.

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82 ] - without catalogue  
ME/MC ] - with soft copy only