

Tel:26280661 Fax: 24902700 Email: project@kashingehk.com Website: www.kashingehk.com



PROJECT	REF	REV	ITEM CODE	
LOCATION	DATE		PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Schleich (PRC) Single lever wall mounted bath and shower mixer; complies with:BS EN 1286: 1999; BS EN 1982: 2008; BS EN 12164: 2016 & AS/NZS 4020: 2005 PLU2.M510; BS 5412: 1996 & BS 5779: 1979; test report J24068Ar3	Illustration/ Drawing
Model	S-08	
Finish	Chrome Plated	
Manufacturer	Schleich	
Source	Ka Shing Enterprises (H.K) Limted Mr. Ivan Lau / Mr. GilmanYuen	
Contact Tel/Fax E-mail Website	(852) 2628-0661 / (852) 2490-2700 project@kashingehk.com www.kashingehk.com	
		137mm 137mm

N	Δt	ρ.
Τ,	Οι	v.

^{*} All information of the above is for the reference only. No prior notice is made if any changes.



水 務 署 Water Supplies Department

總部 Headquarters 香港灣仔告士打道七號入境事務大樓 48 樓 48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 Our ref. 來函檔號

Your ref.

(6) in WSD 3321/2020 T/J(116/2020)

電話

Tel.

傳真 Fax.

2824 0578

18 June 2020

Ka Shing Enterprises (HK) Ltd Unit A, 3/F., 30-38 Tsuen King Circuit, Waylee Ind. Centre, Tsuen Wan, N.T., Hong Kong

(Attn.: Mr Ivan LAU)

Dear Sir,



Approval of "SCHLEICH" Bath/Shower Mixer (General Acceptance No. C20200472)

Your letter dated 12 February 2020 and subsequent submissions received by this department up to 29 May 2020 refer.

Having considered the test report ref. J24068Ar3 issued on 7 May 2020 by Nutek System (HK) Limited, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer:

廣東省鶴山市址山東溪開發區江毅水暖廠

Country of Origin:

the Mainland of China

Brand:

Schleich

Details of Fitting:

1/2" Single lever bath and shower mixer

Model:

S-08

Body Markings:

SCHLEICH®

Expiry Date:

5 May 2024





This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

> "The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply." AND

> "The shower head or handspray should not be placed in submerged conditions and should be securely fixed to the original position after use."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,

for Director of Water Supplies

Encl.

WSD 3321/1/82] - without catalogue C.C.

ME/MC] - with soft copy only