



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

Item Descriptions	Schleich (PRC) 1/2" wall mounted single lever kitchen sink mixer; complied with BS EN 1286: 1999; BS EN 1982: 2008; BS EN 12164: 2016; BS EN 10088-1: 2014 & AS/NZS 4020: 2005; AS/NZS 4020: 2005: App. I Cl. 6.3 PLU2.M510; BS 5412: 1996 & BS 5779: 1979; test report J25758; nominated flow rate 4.4 L/min in WELS Grade 1 ; Registration No. TM 19-0101	<p style="text-align: center;">Illustration/ Drawing</p>														
Model	S-017															
Finish	Chrome Plated															
Material	Brass															
Manufacturer	Schleich (PRC)															
Source	Ka Shing Enterprises (H.K.) Limited Mr. Ivan Lau / Mr. Gilman Yuen															
Contact Tel/Fax	(852) 2628-0661 / (852) 2490-2700															
E-mail	project@kashingehk.com															
Website	www.kashingehk.com															
<table border="1" style="margin-top: 10px;"> <thead> <tr> <th>Dynamic Flow Pressure (kPa)</th> <th>Reading 1st (L/Min)</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>1.88</td> </tr> <tr> <td>150</td> <td>3.45</td> </tr> <tr> <td>250</td> <td>4.45</td> </tr> <tr> <td>350</td> <td>5.33</td> </tr> <tr> <td>500</td> <td>6.15</td> </tr> <tr> <td>600</td> <td>6.38</td> </tr> </tbody> </table>		Dynamic Flow Pressure (kPa)	Reading 1st (L/Min)	50	1.88	150	3.45	250	4.45	350	5.33	500	6.15	600	6.38	
Dynamic Flow Pressure (kPa)	Reading 1st (L/Min)															
50	1.88															
150	3.45															
250	4.45															
350	5.33															
500	6.15															
600	6.38															

Note:

* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.): TM 19-0101



自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps

Certificate of Registration
註冊證書



茲證明
This is to certify that

Ka Shing Enterprises (H.K) Ltd.

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

牌子 / Brand	:	Schleich
型號 / Model	:	S-017
種類 / Type	:	Mixing
原產地 / Country or Region Origin	:	China

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:		滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	1	
耗水量 <i>Water Consumption</i>	:	4.4	公升/分鐘 <i>litres/minute</i>

簽發日期：
Date of Issue: 25 March 2019

 水務署
Water Supplies Department



水務署署長(張業駒代行)
for Director of Water Supplies



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/19 T/J(700/2019)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

19 August 2019



Approval of "SCHLEICH" Sink Mixers
(General Acceptance No. C20190422)

Your letter dated 16 July 2019 and subsequent submission received by this department on 7 August 2019 refer.

Brand	Model No.	Nutek Test Report Ref.	Issuance Date
Schleich	S-016	J23394Ar1	31 Jul 2019
Schleich	S-017	J23395Ar1	31 Jul 2019

Having considered the above test reports issued by Nutek Systems (HK) Ltd., this Authority accepts that the fittings described below comply with, and their use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: 廣東省鶴山市址山東溪開發區江毅水暖廠

Country of Origin: the Mainland of China

Brand: Schleich

- Details of Fitting:**
- 3/8" Single lever sink mixer
Model: S-016
 - 1/2" Single lever sink mixer
Model: S-017



Body Markings: SCHLEICH®

Expiry Date: 20 September 2023

This Authority hereby permits the use of the above fittings in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

“The cold water supply to the fittings shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply.”

A condition of this acceptance is that the fittings to be installed shall be replicas of the samples as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fittings installed fails to meet that of the approved samples or if the fittings are found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fittings, unless otherwise specified.

For the use of the fittings in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fittings by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only