



|          |  |      |  |     |           |  |
|----------|--|------|--|-----|-----------|--|
| PROJECT  |  | REF  |  | REV | ITEM CODE |  |
| LOCATION |  | DATE |  |     | PAGE      |  |

## SANITARY WARE SPECIFICATION SHEET

| Item Descriptions   | Kita (PRC) Chrome plated kitchen mixer;complies with: BS EN 200: 2008; BS EN 1982: 2008 & BS EN 10088-1: 2014; <b>test report J25760</b> ; Nominal flow rate 4.2L/min in WELS Grade 1 ; Registration No. TM 19-0243 | Illustration/ Drawing <div style="text-align: right;"> </div> |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
|---|---|---|-------------------|----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|--|
| Model   | CQ-29   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| Finish  | Chrome Plated   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| Manufacturer  | Kita (PRC)  |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| Source  | Ka Shing Enterprises (H.K) Limited<br>Mr. Ivan Lau / Mr. GilmanYuen   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| Contact Tel/Fax   | (852) 2628-0661 / (852) 2490-2700   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| E-mail  | project@kashingehk.com  |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| Website   | www.kashingehk.com  |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Dynamic Flow Pressure (kPs)</th> <th>Flow rate (L/Min)</th> </tr> </thead> <tbody> <tr><td>50</td><td>1.7</td></tr> <tr><td>150</td><td>3.25</td></tr> <tr><td>250</td><td>4.4</td></tr> <tr><td>350</td><td>4.9</td></tr> <tr><td>500</td><td>5.7</td></tr> <tr><td>600</td><td>5.9</td></tr> </tbody> </table> |   | Dynamic Flow Pressure (kPs)                                   | Flow rate (L/Min) | 50 | 1.7 | 150 | 3.25 | 250 | 4.4 | 350 | 4.9 | 500 | 5.7 | 600 | 5.9 |  |
| Dynamic Flow Pressure (kPs)   | Flow rate (L/Min)   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| 50  | 1.7   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| 150   | 3.25  |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| 250   | 4.4   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| 350   | 4.9   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| 500   | 5.7   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |
| 600   | 5.9   |   |                   |    |     |     |      |     |     |     |     |     |     |     |     |  |

Note:

\* All information of the above is for the reference only. No prior notice is made if any changes.

註冊號碼 (Registration No.):

TM 19-0243



## 自願參與用水效益標籤計劃 - 水龍頭 Voluntary Water Efficiency Labelling Scheme - Water Taps

# Certificate of Registration

註冊證書




茲證明

This is to certify that

Ka Shing Enterprises (H.K) Ltd.

將下列水龍頭在本計劃內註冊：  
has registered the following water tap under this scheme :

|                                |   |        |
|--------------------------------|---|--------|
| 牌子 / Brand                     | : | Kita   |
| 型號 / Model                     | : | CQ-29  |
| 種類 / Type                      | : | Mixing |
| 原產地 / Country or Region Origin | : | China  |

|   |   |   |                                |
|---|---|---|--------------------------------|
| 在用水效益標籤上展示的標誌<br><i>Symbolic Presentation on the Water Efficiency Label</i> | : |  | 滴水點<br><i>Water droplet(s)</i> |
| 用水效益級別<br><i>Water Efficiency Grade</i>                                     | : | 1   |                                |
| 耗水量<br><i>Water Consumption</i>   | : | 4.2   | 公升/分鐘<br><i>litres/minute</i>  |

簽發日期：  
Date of Issue: 22 May 2019

 水務署  
Water Supplies Department



水務署署長(張業駒代行)  
for Director of Water Supplies



水務署  
Water Supplies Department

總部 Headquarters  
香港灣仔告士打道七號入境事務大樓 48 樓  
48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (2) in WSD 3321/2021 T/J(54/2021)  
Our ref.  
來函檔號 :  
Your ref.

電話 :  
Tel.  
傳真 : 2824 0578  
Fax.

8 February 2021

Ka Shing Enterprises (HK) Ltd  
Unit A, 3/F., 30-38 Tsuen King Circuit,  
Waylee Ind. Centre, Tsuen Wan,  
N.T., Hong Kong

(Attn.: Mr Ivan LAU)

Dear Sir,



**Approval of "KITA" Sink Mixer  
(General Acceptance No. C20210108)**

Your letter dated 16 December 2020 refers.

Having considered the test report ref. J25760 issued on 26 November 2020 by Nutek Systems (HK) Ltd., this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

**Name of Manufacturer:** 廣東省鶴山市址山東溪開發區江毅水暖廠  
**Country of Origin:** the Mainland of China  
**Brand:** Kita  
**Details of Fitting:** 3/8" Deck mounted sink mixer  
**Model:** CQ-29  
**Body Markings:** **Kita**<sup>®</sup>  
**Expiry Date:** 15 November 2025



This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

"The cold water supply to the fitting shall be drawn from the same source that supplies the hot water apparatus so as to provide a balanced pressure and to obviate the risk of scalding in the event of a restriction or failure in the water supply."

A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Mr. Terry KUNG at tel. no. 3583 4086.

Yours faithfully,



(CHAN Chung-kun)

for Director of Water Supplies

Encl.

c.c.      WSD 3321/1/82 ] - without catalogue  
            ME/MC        ] - with soft copy only