



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

<p>Item Descriptions</p> <p>Model</p> <p>Finish</p> <p>Manufacturer</p> <p>Source</p> <p>Contact Tel/Fax</p> <p>E-mail</p> <p>Website</p>	<p>Kita (PRC) Chrome plated Infra-red electronic sensor tap 1/2 in DC or AC Supply ; nominated flow rate 3.2 L/min in WELS Grade 2 ; Registration No. TN 20-0025 ;complies with: BS EN 15091: 2013; BS EN 12164: 2016; BS EN 1982: 2008; 6920-3: 2000; BS 6920-2.6: 2000 & AS/NZS 4020: 2005;test report J26619</p> <p>CQ-42</p> <p>Chrome Plated</p> <p>Kita (PRC)</p> <p>Ka Shing Enterprises (H.K) Limited Mr. Ivan Lau / Mr. Gilman Yuen</p> <p>(852) 2628-0661 / (852) 2490-2700 kashing.project@gmail.com www.kashingehk.com</p>	<p style="text-align: center;">Illustration/ Drawing</p> <div style="text-align: right;"> </div> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td>Sensor</td> <td>Infrared Sensor</td> </tr> <tr> <td>Valve</td> <td>Solenoid Valve</td> </tr> <tr> <td>Power</td> <td>battery or 200V AC</td> </tr> <tr> <td>Operating range</td> <td>5mm to 220 mm max</td> </tr> <tr> <td>Inlet</td> <td>G 1/2"</td> </tr> <tr> <td>Water pressure</td> <td>0.05 MPa ~ 0.6 MPa</td> </tr> <tr> <td>Material</td> <td>Brass</td> </tr> <tr> <td>Surface</td> <td>Chrome Plated</td> </tr> <tr> <td>Origin of Country</td> <td>PRC</td> </tr> </table>	Sensor	Infrared Sensor	Valve	Solenoid Valve	Power	battery or 200V AC	Operating range	5mm to 220 mm max	Inlet	G 1/2"	Water pressure	0.05 MPa ~ 0.6 MPa	Material	Brass	Surface	Chrome Plated	Origin of Country	PRC
Sensor	Infrared Sensor																			
Valve	Solenoid Valve																			
Power	battery or 200V AC																			
Operating range	5mm to 220 mm max																			
Inlet	G 1/2"																			
Water pressure	0.05 MPa ~ 0.6 MPa																			
Material	Brass																			
Surface	Chrome Plated																			
Origin of Country	PRC																			
<table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th>Dynamic Flow Pressure (kPa)</th> <th>Flow rate (L/Min)</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>1.1</td> </tr> <tr> <td>150</td> <td>2.3</td> </tr> <tr> <td>250</td> <td>3.3</td> </tr> <tr> <td>350</td> <td>3.85</td> </tr> <tr> <td>500</td> <td>5.2</td> </tr> <tr> <td>600</td> <td>5.42</td> </tr> </tbody> </table> <p style="text-align: center; font-size: small;">REPORT NO.: J 27860r1</p> <p style="text-align: center; font-size: small;">WRAS cert no. 1909395</p>		Dynamic Flow Pressure (kPa)	Flow rate (L/Min)	50	1.1	150	2.3	250	3.3	350	3.85	500	5.2	600	5.42					
Dynamic Flow Pressure (kPa)	Flow rate (L/Min)																			
50	1.1																			
150	2.3																			
250	3.3																			
350	3.85																			
500	5.2																			
600	5.42																			

Note:

** All information of the above is for the reference only. No prior notice is made if any changes.*

註冊號碼 (Registration No.):

TN 20-0025



自願參與用水效益標籤計劃 - 水龍頭
Voluntary Water Efficiency Labelling Scheme - Water Taps


Certificate of Registration
註冊證書



茲證明
This is to certify that
Ka Shing Enterprises (H.K) Ltd.

將下列水龍頭在本計劃內註冊：
has registered the following water tap under this scheme :

牌子 / Brand	:	Kita + Schleich
型號 / Model	:	CQ-42 + S-FR 4L
種類 / Type	:	Non-mixing
原產地 / Country or Region Origin	:	China (Tap & Flow Controller)

在用水效益標籤上展示的標誌 <i>Symbolic Presentation on the Water Efficiency Label</i>	:		滴水點 <i>Water droplet(s)</i>
用水效益級別 <i>Water Efficiency Grade</i>	:	2	with additional merit*
耗水量 <i>Water Consumption</i>	:	3.2	公升/分鐘 <i>litres/minute</i>

*with additional merit of "Automatic closing mechanism"

簽發日期：
Date of Issue: 20 May 2020

 水務署
Water Supplies Department



水務署署長(張業駒代行)
for Director of Water Supplies

Appendix A



This certifies that

KA SHING ENTERPRISES (H.K) LTD

has had the undermentioned product examined, tested and found, when correctly installed, to comply with the requirements of the United Kingdom Water Supply (Water Fittings) Regulations and Scottish Water Byelaws.

PEX-KITA FLEXIBLE HOSE ASSEMBLIES

The certificate by itself is not evidence of a valid WRAS Approval. Confirmation of the current status of an approval must be obtained from the WRAS Directory (www.wras.co.uk/directory)

The product so mentioned will be valid until the end of:

September 2024

1909395

Certificate No.



Secretary



Chairman, Product Assessment Group



水務署
Water Supplies Department

總部 Headquarters

香港灣仔告士打道七號入境事務大樓 48 樓

48/F, Immigration Tower, 7 Gloucester Road, Wan Chai, Hong Kong

本署檔號 : (4) in WSD 3321/2022 T/J(731/2022)
Our ref.
來函檔號 :
Your ref.

電話 :
Tel.
傳真 : 2824 0578
Fax.

1 August 2022

Ka Shing Enterprises (HK) Ltd
Unit A, 3/F., 30-38 Tsuen King Circuit,
Waylee Ind. Centre, Tsuen Wan,
N.T., Hong Kong

(Attn.: Mr Ivan LAU)



Dear Sir,

**Approval of "KITA" Sensor Tap
(General Acceptance No. C20220720)**

Your letters dated 22 June 2022 and 7 July 2022 refer.

Having considered the test report ref. J27860r1 issued on 5 July 2022 by Nutek Systems (HK) Ltd. and WRAS certificate, this Authority accepts that the fitting described below complies with, and its use when correctly installed does not contravene, the Waterworks Ordinance and Regulations.

Name of Manufacturer: 開平市水口鎮聯強衛浴
Country of Origin: the Mainland of China
Brand: Kita
Details of Fitting: 1/2" Deck mounted sensor tap with 1 no. of flexible hose approved by UK's WRAS ref. 1909395
Model: CQ-42
Body Markings: KITA®



Expiry Date: 30 September 2024

This Authority hereby permits the use of the above fitting in fresh water plumbing systems subject to full adherence to Waterworks installation requirements. In particular, you are required to draw your customers' attention to the following requirement-

“A stop cock or gate valve must be installed at the upstream of the fitting for manual isolation of water supply.” AND

“The main voltage operated sensor valve should comply with the electricity safety regulation for applications in bathroom, toilet etc.”


A condition of this acceptance is that the fitting to be installed shall be replicas of the sample as certified by the testing agent mentioned above and without modifications. This acceptance may be withdrawn at any time if the standard of the fitting installed fails to meet that of the approved sample or if the fitting is found to be unsuitable for use in fresh water plumbing systems.

This acceptance is only applicable to the main body of the fitting, unless otherwise specified.

For the use of the fitting in any project, the General Acceptance Number of this letter must be quoted as a means of identification of acceptance of the fitting by this Authority.

Should you have any enquiries, please contact our Engineer Ms Winnie LO at tel. no. 3583 4086.

Yours faithfully,



(YAU Hau Yin)

for Director of Water Supplies

Encl.

c.c. WSD 3321/1/82] - without catalogue
ME/MC] - with soft copy only

General Acceptance No. C20220720