



PROJECT		REF		REV	ITEM CODE	
LOCATION		DATE			PAGE	

SANITARY WARE SPECIFICATION SHEET

<p>Item Descriptions</p> <p>Dimensions</p> <p>Model</p> <p>Material</p> <p>Manufacturer</p> <p>Source</p> <p>Contact Tel/Fax</p> <p>E-mail</p> <p>Website</p>	<p>Mediclinics (Spain) Surface mounted spare toilet roll holde of AISI 304 stainless steel satin finish</p> <p>L66 x W116 x H208 mm</p> <p>AI0968CS</p> <p>Stainless Steel AISI 304</p> <p>Mediclinics, S.A. (Spain)</p> <p>Ka Shing Enterprises (H.K.) Limited Mr. Ivan Lau / Mr. GilmanYuen (852) 2628-0661 / (852) 2490-2700 project@kashingehk.com www.kashingehk.com</p>	<p>Illustration/ Drawing</p>								
<p>Surface mounted spare toilet roll holder, made of stainless steel AISI 304 with concealed fixings.</p> <ul style="list-style-type: none"> * The stainless steel AISI 304 construction protects the product against rust and ensures quality and longevity. * The slim and elegant shape creates a perfectly understated way to organize the bathroom life. * Model suitable for the hotel sector, elderly centers, homes and for collectivities. <p>Components & materials</p> <ul style="list-style-type: none"> * AI0968C: AISI 304 stainless steel, bright finish. * AI0968CS: AISI 304 stainless steel, satin finish. * FLANGE: made of stainless steel AISI 304, Ø 66 mm. * SPINDLE: made of stainless steel AISI 304, 1.2 mm thickness and Ø 25 mm. * MOUNTING BRACKET: made of stainless steel AISI 304, with three holes Ø 5 mm for wall-mounting and soldered to the spindle. * SHELF PLATE: made of chromed plastic, Ø 50 mm. *Screws and plugs for installation to the wall are provided. 										
<p>Technical Specifications</p> <table border="1"> <tr> <td>General dimensions</td> <td>Ø50 x 116 x 208 mm</td> </tr> <tr> <td>Spindle thickness</td> <td>1.2 mm</td> </tr> <tr> <td>Spindle diameter</td> <td>Ø 25 mm</td> </tr> <tr> <td>Flange diameter</td> <td>Ø 66 mm</td> </tr> </table>		General dimensions	Ø50 x 116 x 208 mm	Spindle thickness	1.2 mm	Spindle diameter	Ø 25 mm	Flange diameter	Ø 66 mm	
General dimensions	Ø50 x 116 x 208 mm									
Spindle thickness	1.2 mm									
Spindle diameter	Ø 25 mm									
Flange diameter	Ø 66 mm									

Note:



* All information of the above is for reference only. No prior notice is made if any changes.