

SANITARY WARE SPECIFICATION SHEET

Model: 511964C

Descriptions: Delabie (France) "Be-Line" Ø42 x 850mm long Matte black power-coated aluminium grip grab rail with anti-theft locking system

Dimensions: L120 x W210 x D850 mm

Material : Metallised aluminium

Manufacturer: Delabie (France)

Finish : Matte black



ADVANTAGES



Innovative design suitable for all users




Removable: easy to unclip



Comfort: ergonomic flat face prevents rotation



Tested to over 200kg



* All information of the above is for the reference only. No prior notice is made if any changes.



Ka Shing Enterprise (H.K.) Ltd.

ROOM 1706 NEW TERRITORIES TSUEN WAN HO LIK CENTRE, 66A SHA TSUI ROAD
Tel:26280661 Fax: 24902700
Email: project@kashingehk.com
Website: www.kashingehk.com

Ivan / Horace 26280661

E/ project@kashingehk.com

W/ <https://www.kashingehk.com/>

DESCRIPTION

Be-Line drop-down support rail, L. 850mm, anthracite

Ref. 511964C

Be-Line® drop-down support rail for people with reduced mobility.

In the lowered position use as a grab bar, as a support for standing and for assisting movement, for WCs or showers.

Allows side access in the raised position.

Removable: easy to remove with anti-theft locking system. Reduces the number of grab bars in a facility, allowing installation only when required.

Example: hotels or hospitals providing short-term accommodation for disabled people.

Drop-down rail with slowed down descent. Retained in upright position.

Aluminium tube.

Rounded profile Ø 42mm with ergonomic flat front face that prevents rotation for an optimal grip.

Metallised anthracite powder-coated aluminium finish provides a good visual contrast with light-coloured walls.

Uniform surface for easy maintenance and hygiene.

Concealed fixings secured to wall by a 304 stainless steel plate, 5mm thick.

Supplied with stainless steel screws Ø 8 x 70mm for concrete walls.

Dimensions: 850 x 210 x 120mm.

Tested to over 200kg. Maximum recommended user weight: 135kg.

INSTALLATION & CARE

EN

- Ensure screws and rawl plugs are suitable for wall mounting and reinforce if necessary.
- Installation should be undertaken by professional installers only.
- Maximum user weight: 135kg. Make sure that the wall and/or surface can support this weight. Reinforce the wall if necessary and/or adapt the surface if necessary.
- Clean using a soft, damp cloth or with cleaning products and disinfectants. Do not use acid-based products or scouring powder.



Product conforms to European standard EN 12182 and the Directive 93/42/CEE.



DELABIE

* All information of the above is for the reference only. No prior notice is made if any changes.



Ka Shing Enterprise (H.K.) Ltd.

ROOM 1706 NEW TERRITORIES TSUEN WAN HO LIK CENTRE, 66A SHA TSUI ROAD

Tel: 26280661 Fax: 24902700





Email: project@kashinghk.com

Website: www.kashinghk.com

Ivan / Horace 26280661

E/ project@kashinghk.com

W/ <https://www.kashinghk.com/>



* All information of the above is for the reference only. No prior notice is made if any changes.



Ka Shing Enterprise (H.K.) Ltd.

ROOM 1706 NEW TERRITORIES TSUEN WAN HO LIK CENTRE, 66A SHA TSUI ROAD
 Tel: 26280661 Fax: 24902700
 Email: project@kashinghk.com
 Website: www.kashinghk.com

Ivan / Horace 26280661

E/ project@kashinghk.com

W/ https://www.kashinghk.com/